L Number	Hits	Search Text	DB	Time stamp
1	4		USPAT;	2002/12/20 01:37
,			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	27967	(web adj (page site))	USPAT;	2002/12/19 17:25
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT; IBM TDB	
-	17624	((web adj (page site))) and (modif\$4	USPAT;	2002/12/19 17:26
	_,,	chang\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7309	111 12   12   3     17   17   17   17   17   17	USPAT;	2002/12/19 17:26
		chang\$4)) and version	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2613	((((web adj (page site))) and (modif\$4	<pre>IBM_TDB USPAT;</pre>	2002/12/19 17:26
	2013	chang\$4)) and version) and compare	US-PGPUB;	2002/12/13 17:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
] -	496	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2002/12/19 17:28
		chang\$4)) and version) and compare) and	US-PGPUB;	
1		707/\$.ccls.	EPO; JPO;	
			DERWENT;	
	202		IBM_TDB	0000/10/10 17 00
_	382	((((((web adj (page site))) and (modif\$4 chang\$4)) and version) and compare) and	USPAT;	2002/12/19 17:29
		707/\$.ccls.) and update	US-PGPUB; EPO; JPO;	1
		17077 Q. CCIB. 7 una apaace	DERWENT;	
			IBM TDB	
-	350	(((((((web adj (page site))) and (modif\$4	USPAT;	2002/12/19 17:29
		chang\$4)) and version) and compare) and	US-PGPUB;	
		707/\$.ccls.) and update) and current	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	93	(((((((web adj (page site))) and (modif\$4	USPAT;	2002/12/19 17:29
i		chang\$4)) and version) and compare) and	US-PGPUB;	
		707/\$.ccls.) and update) and current) and hidden	EPO; JPO;	
		IIIAACII	DERWENT; IBM TDB	
-	91	((((((((web adj (page site))) and (modif\$4	USPAT;	2002/12/19 17:30
	- <del>-</del>	chang\$4)) and version) and compare) and	US-PGPUB;	-352, -2, -2, -30
		707/\$.ccls.) and update) and current) and	EPO; JPO;	
		hidden) and form	DERWENT;	
			IBM_TDB	
-	5	(((((((((web adj (page site))) and (modif\$4	USPAT;	2002/12/19 17:50
	:	chang\$4)) and version) and compare) and	US-PGPUB;	
		707/\$.ccls.) and update) and current) and hidden) and form) and 707/511	EPO; JPO;	
[		mraden, and rorm, and /0//511	DERWENT; IBM TDB	
_	15	("4807182"   "4912637"   "5008853"	USPAT	2002/12/19 17:41
	-5	"5278979"   "5325478"   "5438661"	JULAI	2002/12/19 1/:41
		"5535332"		
		"5764972" "5806078" "5835601"	1	
		"5835911"   "5860071"   "5995097").PN.		
-	1	6366933.URPN.	USPAT	2002/12/19 17:48
-	7	(((((((((web adj (page site))) and (modif\$4	USPAT;	2002/12/19 17:51
		chang\$4)) and version) and compare) and	US-PGPUB;	
		707/\$.ccls.) and update) and current) and	EPO; JPO;	
		hidden) and form) and 707/203	DERWENT;	
_	41	((((((((((web adj (page site))) and (modif\$4	<pre>IBM_TDB USPAT;</pre>	2002/12/10 17:52
	**	chang\$4)) and version) and compare) and	US-PGPUB;	2002/12/19 17:52
	İ	707/\$.ccls.) and update) and current) and	EPO; JPO;	
		hidden) and form) and verif\$6	DERWENT;	
		·	IBM TDB	
				1

-	9	((((((((((web adj (page site))) and (modif\$4	USPAT;	2002/12/19 20:23
		chang\$4)) and version) and compare) and 707/\$.ccls.) and update) and current) and	US-PGPUB; EPO; JPO;	
		hidden) and form) and verif\$6 with (modifi\$4	DERWENT;	
		chang\$4)	IBM TDB	
_	19	"5832514"	USPAT;	2002/12/19 20:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5832514.pn.	USPAT;	2002/12/19 20:41
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	17	5832514.URPN.	USPAT	2002/12/19 20:23
_	18	("5367681"   "5406557"   "5625818"	USPAT	2002/12/19 20:33
		"5694546"   "5790790"   "5794039"		
		"5802314"   "5818447"   "5819032"		
		"5832514"   "5850520"   "5852436"		
		"5864684"   "5870605"   "5884035"		
		"5892909"   "5913032"   "6021443").PN.		
-	2	**= -** : *:	USPAT	2002/12/19 20:37
	17 2741		USPAT USPAT;	2002/12/19 20:37 2002/12/19 20:43
1	2/41	carrent and version	US-PGPUB;	2002/12/19 20:43
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	267	(current adj version) and source with	USPAT;	2002/12/19 20:44
		version	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(1)	IBM_TDB	0000/00/15 55 15
-	11	((current adj version) and source with	USPAT;	2002/12/19 20:45
		version) and (verifi\$4 with (modifi\$6 chang\$4))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	28	("4769796"   "4866611"   "4881179"	USPAT	2002/12/19 20:51
11		"4977520"   "5113380"   "5224212"		
		"5392390"   "5442783"   "5519606"		1
		"5666530"   "5666553"   "5684990"		
		"5701423"   "5710922"   "5727202"		
		"5729735"   "5758150"   "5758355"     "5778346"   "5778389"   "5806075"		
		"5832487"   "5845293"   "5884323"	1	
		"5926816"   "5966714"   "5991771"		
	A 111	"6026413").PN.		
-	0		USPAT	2002/12/19 20:57
-	0		USPAT	2002/12/19 20:57
-	8	, compare did (dimensional or 2 garmar	USPAT;	2002/12/19 21:38
		unchanged) with data) and 707/511	US-PGPUB;	
			EPO; JPO;	
L.	1 11		DERWENT;	
_	224	(compare and (unmodified origainal	IBM_TDB	2002/12/10 21 20
	224	unchanged) with data) and 707/\$	USPAT; US-PGPUB;	2002/12/19 21:38
		anonangea, wrom data, and 707/9	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	216	((compare and (unmodified origainal	USPAT;	2002/12/19 21:38
		unchanged) with data) and 707/\$) not	US-PGPUB;	
		((compare and (unmodified origainal	EPO; JPO;	
		unchanged) with data) and 707/511)	DERWENT;	
_		E022E14 IIDDN 024	IBM_TDB	2002/12/22 22 22
-	3	5832514.URPN. and verifi\$4	USPAT;	2002/12/19 21:39
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
<u> </u>				L

-	3054	compare and (unmodified origainal unchanged) with data	USPAT; US-PGPUB;	2002/12/19 23:07
			EPO; JPO; DERWENT;	
_	116	(compare and (unmodified origainal	IBM_TDB   USPAT;	2002/12/19 21:57
		unchanged) with data) and current adj	US-PGPUB;	2002/12/15 22:5:
		version	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000 (00 (00 00 00 00
-	1	((compare and (unmodified origainal unchanged) with data) and current adj	USPAT; US-PGPUB;	2002/12/19 21:44
		version) and source adj version	EPO; JPO;	
		<b>,</b>	DERWENT;	
			IBM_TDB	
-	2	((compare and (unmodified origainal	USPAT;	2002/12/19 21:45
		unchanged) with data) and current adj version) and verif\$6 with (modifi\$4 chang\$4)	US-PGPUB; EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
-	116	(compare and (unmodified origainal unchanged) with data) and current adj	USPAT; US-PGPUB;	2002/12/19 21:59
		((version) ((unmodified origainal unchanged)	EPO; JPO;	
		with data))	DERWENT;	
			IBM_TDB	0000/10/10 10
-	0	(compare and (unmodified origainal unchanged) with data) with current with	USPAT;	2002/12/19 22:00
		((unmodified origainal unchanged) near2	US-PGPUB; EPO; JPO;	
		data)	DERWENT;	
		/	IBM_TDB	0000/10/10 00 00
_	40	(compare and (unmodified origainal unchanged) with data) and current with	USPAT; US-PGPUB;	2002/12/19 22:00
		((unmodified origainal unchanged) near2	EPO; JPO;	
		data)	DERWENT;	
	2	(someone and (	IBM_TDB	2002/12/12 22 22
_		(compare and (unmodified origainal unchanged) near2 data) same current with	USPAT; US-PGPUB;	2002/12/19 22:00
	}	((unmodified origainal unchanged) near2	EPO; JPO;	
		data)	DERWENT;	
_	1045	(compare and (unmodified origainal	IBM_TDB USPAT;	2002/12/19 22:50
	1043	unchanged) with data) and version	US-PGPUB;	2002/12/19 22:30
			EPO; JPO;	
			DERWENT;	
<u> </u>	10275	update with (server or master)	IBM_TDB USPAT;	2002/12/19 22:51
	102,3	apace with (server or master)	US-PGPUB;	2002/12/19 22:51
			EPO; JPO;	
			DERWENT;	
_	81	((compare and (unmodified origainal	IBM_TDB USPAT;	2002/12/19 22:24
		unchanged) with data) and version) and	US-PGPUB;	
		(update with (server or master))	EPO; JPO;	
			DERWENT; IBM TDB	
-	2	(((compare and (unmodified origainal	USPAT;	2002/12/19 23:08
		unchanged) with data) and version) and	US-PGPUB;	
		<pre>(update with (server or master))) and (verifi\$4 with (modifi\$5 chang\$4))</pre>	EPO; JPO;	
		(veritibe mich (modifibe Chands)	DERWENT; IBM TDB	
-	0	6446092.URPN.	USPAT	2002/12/19 22:26
-	12	("5386585"   "5608874"   "5649185"	USPAT	2002/12/19 22:26
		"5664189"   "5678041"   "5682537"     "5687363"   "5721909"   "5862327"		
		"5870765"   "5873096"   "5937414").PN.		
-	4	("5222140"   "5528677"   "5608720"	USPAT	2002/12/19 22:27
_	23	"5689705").PN. 5870765.URPN.	USPAT	2002/12/19 22:28
-	12	("5155847"   "5530855"   "5600834"	USPAT	2002/12/19 22:28
	,	"5729743"   "5745906"   "5870552"		
		"5870765"   "5881292"   "5890170"     "5893119"   "5924094"   "6006239").PN.		
	L	3033113" "3324034" "6000233"/.PN.	L	

- 3054 (compare and (unmodified origainal unchanged) with data)  - 11976 (save update) with (server or master)  - 106 ((compare and (unmodified origainal unchanged) with data)) and ((save update) unchanged) with (server or master))  - 26501 compare and (unmodified origainal unchanged)  - 26501 compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged)	2/12/19 22:48 2/12/19 22:51 2/12/19 22:51 2/12/19 22:51 2/12/19 23:14 2/12/19 23:07 2/12/19 23:07
unchanged) with data)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2/12/19 22:51 2/12/19 22:51 2/12/19 23:14 2/12/19 23:07
- 11976 (save update) with (server or master)  - 11976 (save update) with (server or master)  - 106 ((compare and (unmodified origainal unchanged) with data)) and ((save update) unchanged) with (server or master))  - 35 (((compare and (unmodified origainal unchanged) with data)) and ((save update) unchanged) with (server or master))) and ("same" (server or master))) and ("same" (server or master))) and ("same" (server) user client) (server) user client)  - 26501 compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged) unchanged)) and (update with (server) or master))  - 2 (((compare and (unmodified origainal unchanged)) uspat; unchanged) with data) and version) and (uspat; lbm_TDB uspat; lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB uspat; lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB uspat; lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB uspat; lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB uspat; lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB unchanged) with (server or master)) and lbm_TDB unchanged) with data) and version) and (uspat; lbm_TDB unchanged) with (server or master)) and lbm_TDB unchanged) with (server or master))	2/12/19 22:51 2/12/19 23:14 2/12/19 23:07
DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; USPA	2/12/19 22:51 2/12/19 23:14 2/12/19 23:07
- 11976 (save update) with (server or master)  (save update) with (server or master)  (uspat; uspat; uspat; uspat; uspat; uspat; uspat; unchanged) with data) and ((save update) uspat; uspat; uspat; unchanged) with data) and ((save update) uspat; unchanged) with data) and ((save update) uspat; us	2/12/19 22:51 2/12/19 23:14 2/12/19 23:07
- 11976 (save update) with (server or master)  (save update) with (server or master)  (save update) with (server or master)  ((compare and (unmodified origainal unchanged) with (server or master))  ((compare and (unmodified origainal unchanged) with (server or master))  ((compare and (unmodified origainal unchanged) uspar; user client)  concurrents) with multiple with (developer user client)  compare and (unmodified origainal unchanged)  (compare and (update with (server or master))  (compare and (update origainal unchanged)  (compare and (update with (server or user) jepo; jpo; derwent; lbm_TDB uspar; unchanged) with data) and version) and update with (server or master))  (((compare and (unmodified origainal unchanged) unchanged) with data) and version) and update with (server or master))	2/12/19 22:51 2/12/19 23:14 2/12/19 23:07
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; IBM TDB USPAT	2/12/19 22:51 2/12/19 23:14 2/12/19 23:07
- 106 ((compare and (unmodified origainal unchanged) with data) ) and ((save update) USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB  - 35 (((compare and (unmodified origainal unchanged) with (server or master)) and ((save update) unchanged) with (server or master)) and ("same" EPO; JPO; Concurrent\$3) with multiple with (developer user client)  - 26501 compare and (unmodified origainal unchanged)  - 26501 compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged) uspat; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB unchanged) with data) and version) and unchanged) uspat; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB unchanged) with data) and version) and unchanged) uspat; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB unchanged) with data) and version) and unchanged) update with (server or master)) and EPO; JPO;	2/12/19 23:14 2/12/19 23:07
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Unchanged) with data) and ((save update) unchanged) with data) and ((save update) unchanged) with data) and ((save update) unchanged) with (server or master))) and ("same" unchanged) with multiple with (developer user client)   DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB	2/12/19 23:14 2/12/19 23:07
- 106 ((compare and (unmodified origainal unchanged) with data) ) and ((save update) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; With (server or master)) and ("same" EPO; JPO; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; Unchanged) with data) and version) and USPAT; USPAT;	2/12/19 23:14 2/12/19 23:07
106	2/12/19 23:14 2/12/19 23:07
unchanged) with data) ) and ((save update) with (server or master))  - 35 (((compare and (unmodified origainal unchanged) with data) ) and ((save update) user client) - 26501 compare and (unmodified origainal unchanged) - 26501 (compare and (unmodified origainal unchanged) - 508 (compare and (unmodified origainal unchanged) - 508 (compare and (unmodified origainal unchanged) - 508 (compare and (unmodified origainal unchanged) - 2 (((compare and (unmodified origainal unchanged) uspat; unchanged) ) and (update with (server or uspat; lbm_TDB u	2/12/19 23:14 2/12/19 23:07
with (server or master))  - 35 (((compare and (unmodified origainal unchanged) with data)) and ((save update) us-PGPUB; with (server or master))) and ("same" EPO, JPO; concurrent\$3) with multiple with (developer user client) Compare and (unmodified origainal unchanged)  - 26501 compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM_TDB USPAT;	2/12/19 23:07
- 35 (((compare and (unmodified origainal unchanged) with data)) and ((save update) user client) compare and (unmodified origainal unchanged)  - 26501 compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged)  - 2 (((compare and (update with (server or master)))  - 2 (((compare and (unmodified origainal unchanged) uspar; unchanged) with data) and version) and (uspare unchanged) with (server or master)) and  - 2 (((compare and (unmodified origainal unchanged) uspar; unchanged) with data) and version) and (uspare unchanged) with (server or master))) and  - 2 (((compare and (unmodified origainal unchanged) uspare unchanged) with data) and version) and (uspare unchanged) with (server or master))) and	2/12/19 23:07
- 35 (((compare and (unmodified origainal unchanged) with data) ) and ((save update) user client) compare and (unmodified origainal unchanged)  - 26501 compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged)  - 508 (compare and (unmodified origainal unchanged)  - 2 (((compare and (update with (server or master)))  - 2 (((compare and (unmodified origainal unchanged) uspar; unchanged) with data) and version) and (uspare update) uspar; unchanged) with (server or master))  - 2 (((compare and (unmodified origainal unchanged) uspar; unchanged) with data) and version) and (uspare update) uspar; unchanged) with (server or master)) and (update with (server or master))	2/12/19 23:07
- 35 (((compare and (unmodified origainal unchanged) with data) ) and ((save update) user client) compare and (unmodified origainal unchanged) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; (update with (server or master))) and EPO; JPO;	2/12/19 23:07
unchanged) with data) ) and ((save update) with (server or master))) and ("same" concurrent\$3) with multiple with (developer user client) compare and (unmodified origainal unchanged)  - 26501	2/12/19 23:07
with (server or master))) and ("same" concurrent\$3) with multiple with (developer user client) compare and (unmodified origainal unchanged)  - 26501 compare and (unmodified origainal unchanged) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PG	, ,
concurrent\$3) with multiple with (developer user client) compare and (unmodified origainal unchanged)  ompare and (unmodified origainal unchanged) compar	, ,
user client) compare and (unmodified origainal unchanged)  508 (compare and (unmodified origainal unchanged)  (compare and (unmodified origainal unchanged)) unchanged)) and (update with (server or master))  (((compare and (unmodified origainal unchanged)) unchanged) with data) and version) and (update with (server or master))) and  [BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	, ,
- 26501 compare and (unmodified origainal unchanged) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; Unchanged) with data) and version) and USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	, ,
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Unchanged) ) and (update with (server or master))  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	, ,
- 508 (compare and (unmodified origainal unchanged) ) and (update with (server or master))  - 2 (((compare and (unmodified origainal unchanged) with data) and version) and (update with (server or master))) and  EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; Unchanged) with data) and version) and USPAT; USPAT; USPAT; Unchanged) with (server or master)) and EPO; JPO;	2/12/19 23:07
- 508 (compare and (unmodified origainal unchanged) ) and (update with (server or master))  - 2 (((compare and (unmodified origainal unchanged) with data) and version) and (update with (server or master))) and  EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; US-PGPUB; EPO; JPO;	2/12/19 23:07
- 508 (compare and (unmodified origainal unchanged) ) and (update with (server or master))  - 2 (((compare and (unmodified origainal unchanged) with data) and version) and (update with (server or master))) and  DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO;	2/12/19 23:07
- 508 (compare and (unmodified origainal unchanged) ) and (update with (server or master))  - 2 (((compare and (unmodified origainal unchanged) with data) and version) and (undeted origainal unchanged) with (server or master))) and  USPAT; US-PGPUB; EPO; JPO;	2/12/19 23:07
- 508 (compare and (unmodified origainal unchanged) ) and (update with (server or master))  - 2 (((compare and (unmodified origainal unchanged) with data) and version) and (undeted origainal unchanged) with (server or master))) and  USPAT; US-PGPUB; EPO; JPO;	2/12/19 23:07
unchanged) ) and (update with (server or master))  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  (((compare and (unmodified origainal uspat; unchanged) with data) and version) and (uspate with (server or master))) and EPO; JPO;	_,,
master))  EPO; JPO; DERWENT; IBM_TDB  (((compare and (unmodified origainal USPAT; unchanged) with data) and version) and US-PGPUB; (update with (server or master))) and EPO; JPO;	
DERWENT; IBM_TDB USPAT; unchanged) with data) and version) and (update with (server or master))) and DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
- 2 (((compare and (unmodified origainal USPAT; 200 unchanged) with data) and version) and US-PGPUB; (update with (server or master))) and EPO; JPO;	
- 2 (((compare and (unmodified origainal USPAT; 200 unchanged) with data) and version) and US-PGPUB; (update with (server or master))) and EPO; JPO;	
unchanged) with data) and version) and US-PGPUB; (update with (server or master))) and EPO; JPO;	2/12/19 23:08
(update with (server or master))) and EPO; JPO;	2,12,15 25.00
( TOTITION WITCH ( MODITION CHANGO ) / DERWENT,	
IBM TDB	
	2/12/19 23:13
unchanged) ) and (update with (server or US-PGPUB;	2/12/17 23.13
master))) and (verifi\$4 with (modifi\$5 EPO; JPO;	
chang\$4))	
IBM TDB	
	2/12/19 23:13
unchanged) ) and (update with (server or US-PGPUB;	2/12/19 23:13
master))) and (concurrent\$4 with multiple) EPO; JPO;	
_	
DERWENT;	
	2/12/10 22:12
unchanged) ) and (update with (server or US-PGPUB;	2/12/19 23:13
unchanged) ) and (update with (server or Master))) and (verifi\$4 with (modifi\$5	
chang\$4)))	
	0/10/10 00 00
The state of the	2/12/19 23:37
unchanged) ) and (update with (server or US-PGPUB;	
master))) and (concurrent\$4 with multiple)) EPO; JPO;	
not (((compare and (unmodified origainal DERWENT;	
unchanged) ) and (update with (server or IBM_TDB	
master))) and (verifi\$4 with (modifi\$5	
chang\$4))) not ((((compare and (unmodified	
origainal unchanged) with data) ) and ((save	
update) with (server or master))) and	
("same" concurrent\$3) with multiple with	
(developer user client))	
	2/12/19 23:38
i i i i i i i i i i i i i i i i i i i	
US-PGPUB;	
US-PGPUB; EPO; JPO;	

			_	
-	54		USPAT;	2002/12/19 23:38
		unchanged) with data) ) and (hidden with	US-PGPUB;	
		data)	EPO; JPO;	ļ .
			DERWENT;	1
			IBM_TDB	
-	6	(((compare and (unmodified origainal	USPAT;	2002/12/19 23:52
1		unchanged) with data) ) and (hidden with	US-PGPUB;	
		data)) and (web internet) with (page site)	EPO; JPO;	
			DERWENT;	ļ
			IBM_TDB	
-	3	("6401103").PN.	USPAT;	2002/12/20 00:06
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	("5493728"   "5649195"   "5737536"	USPAT	2002/12/19 23:52
		"5751958"   "5752042"   "5758355"		
		"5761670"   "5765171"   "5802062"		1
		"5835904"   "5991542"   "6157935").PN.		
-	0	6401103.URPN.	USPAT	2002/12/19 23:54